SUBJECT INDEX

A

Abequose, 228
  biosynthesis, 230
Acanthamoeba castellanii
  sialidase, 502
3′-Acetamido-adenosine
  biosynthesis, 229
Acetate
  iron reduction and, 321, 331
  Shewanella putrefaciens and, 329
  sigma transcription factor and, 60
Acetobacter suboxydans
  inositol isomer oxidation and, 5, 11
N-Acetyl-D-galactosamine
  parasite penetration and, 511
N-Acetyl-neuraminic acid, 500
Aceuleacin A
  glucan synthesis and, 485
Acholeplasma laidlawii, 699
Acholeplasma oculi, 699
Acidothermus, 267
Acidothermus cellulans, 279
Acinetobacter calcoaceticus
  manganese reduction, 335
Acinetobacter calcoaceticus BD4
  extracellular polysaccharides, 793
Acquired immunodeficiency syndrome (AIDS)
  causative agent, 688
  mycoplasmas and, 687–706
  opportunistic fungal infection and, 472
  oxidative stress and, 692–93
  pathophysiology, 689
  progression, 691–93
  transmission, 690–91
Acridine orange (AO), 408
Actinokineospora riparia, 274–76
Actinomadura, 276–78
Actinomadura hibisca
  antifungal antibiotics isolated, 489
Actinomyces, 270
  peptidoglycan, 282
Actinomycetes, 257–85
  distribution in marine sediments, 565
  evolution time scale, 279–80
  evolution of traits, 280–83
  novel organic molecules, 562
  phylogenetic relationships
    16S rRNA sequences and, 263–79
    phylogeny, 259–63
Actinoplanes, 273
  peptidoglycan, 282
Actinopolyspora, 276
Actinosporangium, 276
Actinosynnema, 262, 274–76
Aculeacin A, 477
  structure, 478
Aculose, 227
Adenosine triphosphate (ATP)
  bioluminescence and, 408
Adenoviruses, 428
Adhesins, 605–7
Adrenodoxin, 245
Adriamycin
  formation genetics, 235–36
Adult respiratory distress syndrome (ARDS)
  Mycoplasma fermentans infection and, 695
Aerobacter aerogenes
  aerobactin production, 764
Aerobactin, 747, 750, 764
Aerobiosis
  manganese reduction and, 335
Aerococcus viridans, 574
Aeromicrobium
  antibiotics, 280
Aeromicrobium erythreum, 271
Aeromicrobium fastidiosum, 271
Aeromonas salmonocida
  surface proteins, 595–96
African sleeping sickness, 26, 106, 140–41, 144, 155, 500
African trypanosomes, 25–47
  antigenic variation
    genetic mechanisms, 27–29
  apolipoprotein AI-cytotoxicity model and, 153–54
  apolipoproteins and, 150–51
  blood inoculation infectivity test and, 144–45
  C-terminal microbody targeting signal, 112–22
  endocytic internal degradation model and, 154–55
  flagellar pocket, 141–43
    receptor-mediated endocytosis and, 143
  gene expression
    protein stability and, 46
    regulation, 38–47
  general features, 140–43
  glycosomal assembly
    mutational analysis, 126–27
  glycosomal import
    as chemotherapeutic target, 127–28
    internal targeting signals, 124–25
    peroxisomal targeting signal, 122–24
  glycosomal proteins
    biosynthesis and assembly, 110–12
    genes encoding, 110
  glycosomal targeting signals, 120
  glycosomes, 105–28
    luciferase import, 114–19
    membrane proteins, 125
    metabolic functions, 109
    morphology and biogenesis, 107–9
  high-density lipoprotein-mediated lysis, 148–51
    potential mechanisms, 152–55
  human serum-mediated lysis, 145–46
  life cycle, 109
  peroxisomal targeting signal, 112–14
  phospholipid exchange model and, 152–53
  pre-mRNA processing, 45–46
  procyclin expression sites, 30–31
  RNA polymerases, 40–42
  sensitivity to normal human serum, 143–46
  stage-specific antigen expression, 26–27
  surface antigens, 26
    expression sites, 29–31
  transcription elongation, 43–45
  transcription initiation, 42–43
  translational control, 46
  trans-sialidase, 500–1
  transsplicing and polyadenylation, 45
  variant surface glycoprotein, 141
    expression, 27, 33–36
  variant surface glycoprotein genes
    expression sites, 29–33
    families, 37–38
    recombination, 33–36
    in situ activation, 31–33
African trypanosomiasis, 141, 159, 502

Aglycone
biosynthesis, 231, 237
Agrobacterium tumefaciens
genomic distance orderings, 636
siderophore, 754
virulence genes, 299
Agrobactin, 754
Agromyces, 262
AIDS
See Acquired immunodeficiency syndrome
Albomycin, 763
Alcaligenes
biologically active substances, 575
Alcaligenes eutrophus
maleylacetate reductase, 183
Alcaligenes eutrophus H850
3,4-dioxygenase, 540
Alcaligenes eutrophus JMP134
chloromuconic acid cycloisomerase, 183
dehalogenating enzymes, 166
Alcaligenes faecalis, 547
Aldolase, 111, 123
Algarose
biosynthesis, 233
2-Alkanols, 786
2-Alkanones, 787
Altermonas
novel organic molecules, 562
Altermonas haloplanktis
novel organic molecules, 562
Altermonas ruba
novel organic molecules, 562
Alteromonas putrefaciens, 328
Alzheimer's disease, 664
α-Amanitin, 40
Amastigotes, 450–51
American trypanosomes
glycosomes, 107
Amicetose, 227
Amine oxidase, 119
Aminocyclitol antibiotics, 280
biosynthesis, 234
3'-Amino-3'-deoxyadenosine
biosynthesis, 229
Aminoglycoside antibiotics
biosynthesis, 239–40
8-Aminoquinolines, 85
Amino sugars, 228–29
biosynthesis, 249–50
Ammonia
histidine degradation pathway and, 14
Ammonification, 315
Amphotericin B
opportunistic fungal infection and, 472
Ampullariella, 273
Amycolatopsis
antibiotics, 280
Amycolatopsis mediterranei, 284
Amycolatopsis methanolica, 274
Anabaena
citrate hydroxamate siderophore, 748
genomic distance orderings, 633–34
Anaerobes
iron metabolism, 749
Anaerobic respiration
iron/manganese and, 311–39
Ancylobacter aquaticus
haloalkane dehydrogenase, 168
Anguibactin, 754–55
Animal-microbe systems
iron uptake, 747
Anogenital cancer
human papillomaviruses and, 440
Anogenital lesions
human papillomaviruses and, 429
Ansamycins, 280
Antibiotic-DNA complexes
formation, 224
Antibiotic resistance, 346
Antibiotics
aminocyclitol biosynthesis, 234
aminoglycoside biosynthesis, 239–40
antifungal, 471–91
deoxysugar ligands, 234–40
evolution, 280–81
human immunodeficiency virus and, 689
macrolide, 280
biosynthesis, 233–34
mannan-binding, 489–91
nucleoside biosynthesis, 229
polyketide formation genetics, 235–36
Antibody-based testing
food-borne bacteria and, 409–14
Antimycin, 85
Antimycin A
iron reduction and, 333
manganese reduction and, 335
Antisense RNA, 713–34
bacterial gene expression and, 726–28
bacteriophage development and, 723–25
binding pathways and kinetics, 729–34
IncF and R1 plasmic conjugation and, 722
killer gene expression and, 722–23
plasmid replication and, 715–21
protein synthesis and, 718–20
ribosome binding and, 725–26
RNA-RNA pairing and, 728–34
structure, 729
AO
See Acridine orange
AP120E, 406
Apicomplexan parasites, 81–101
extrachromosomal DNA localization, 99–100
mitochondrial genome, 83–94
organelle DNA inheritance, 98–99
putative plastid genome, 94–98
Apolipoprotein AI, 146–47
Trypanosoma brucei brucei and, 150–51
Apolipoprotein AI-cytotoxicity model
trypanosome lysis and, 153–54
Apolipoprotein AII, 146
Apolipoprotein CI, 147
Aquatic environments
iron-uptake systems, 746
Aquifex
peptidoglycan, 282
Arachnia, 262
Arcanobacterium haemolyticum, 270
Archeae
abundance in oceans, 563
ARDS
See Adult respiratory distress syndrome
Arginine deaminase
mycoplasmas and, 701
Aroclor 1221
degradation, 543–44
Aroma chemicals
microbial biocatalysis, 777–94
Arsenicals
trypanosomiasis and, 127
Arsenite
transposon selection markers and, 530
Arthritis
rheumatoid
Mycoplasma fermentans and, 692
septic, 606
Arthrobacter, 261, 267–70, 279
menaquinones, 281
peptidoglycan, 282
Arthrobacter AD2
dehalogenating enzymes, 179
Arthrobacter globiformis DSM3597
eugenol biotransformation and, 781
Arthrobacter SU
dehalogenating enzymes, 166, 180

Ascarylose
biosynthesis, 228, 230, 242–49
Ascobolus isomerase
repeat induced point mutations, 620
Ascophyllum nodosum, 570
Aspergillus fumigatus
cell wall composition, 477
fibrinogen and, 604
LY303366 and, 483–84
Aspergillus nidulans
gene expression
pH and, 454
Aspergillus niger, 788–90
fermentation of glucose, 776–77
ferulic acid biocatalysis, 783
Atergatis floridus
tetrodotoxin production, 568
Atopobium
peptidoglycan, 282
Atopobium minutum, 265
ATP
See Adenosine triphosphate
ATP luminometer, 302–3
Aureobacterium flavescens JG9
siderophore detection and, 745
Aureobasidium
2-alkanols, 786
Aureobasidium pullulans
2-alkanone production, 787
Aureomycin, 7
Axenic transformation, 458–59
Azoles
Candida albicans and, 488
opportunistic fungal infection and, 472
Azotobacter vinelandii
cytidylyltransferase, 243
genomic distance orderings, 636
siderophore production, 762
Azurechelin, 754

B

Babesia, 82
mitochondrial DNA, 93
Babesia microti, 84
Babylonia japonica
toxicity, 568
Bacillus, 261, 265
citrate hydroxamate siderophore, 748
iron reductase, 331
manganese reductase activity, 335–36
metal-reducing, 330
novel organic molecules, 562
Bacillus cereus
enterotoxin, 413
food-borne, 402
Bacillus stearothermophilus
CpG relative abundances, 625
Bacillus subtilis
catechol siderophore, 749
ferulic acid deacetylase activity, 782
genomic distance orderings, 636
histidine-degrading system, 15–17
sigma transcription factor
vegetative, 63
starvation survival strategy, 54–55
Bacteria
amino acid sequences
compositional extremes, 624–26
antibiotic resistance, 346
antisense RNA control, 726–28
biogenesis of deoxysugars, 223–50
engineering for in situ applications, 547–48
food-borne, 401–20
antibody-based tests, 409–14
isolation and identification, 403
miniaturized biochemical assays, 405–6
nucleic acid-based tests, 414–17
physicochemical assays, 406–9
gram-negative
collagen-binding MSCRAMMs, 600–2
extracellular matrix-binding molecules, 590
fibrinogen-binding MSCRAMMs, 603–4
fibronectin-binding MSCRAMMs, 595–96
iron deprivation and, 762
gram-positive
abundance in marine sediments, 567
collagen-binding MSCRAMMs, 597–600
fibrinogen-binding MSCRAMMs, 602–3
fibronectin-binding MSCRAMMs, 589–95
iron-reducing
bioremediation and, 329–30
magnetite and, 327
iron-uptake systems, 749–59
lactic-acid, 259
metal reduction rates, 332
methanotrophic, 372
classes, 374
methane oxidation pathway, 373
nitrogen regulation, 17–21
pathogenic
sialic acids and, 501
propionic-acid, 259
sigma transcription factor, 53–75
species grouping, 638
toxins
trypanosome lytic factor and, 158–59
See also Marine bacteria
Bacteriophage development
antisense RNA and, 723–25
Bacteroides, 264
peptidoglycan, 282
Bactometer, 407
Benanomicins, 489–91
Beneckea gazogenes
novel organic molecules, 562
Benzaldehyde
microbial biocatalysis, 784–85
Benzene
degradation, 531
Benzoate
oxidative catabolism, 532
Benzoic acid
sigma transcription factor and, 60
Benzoylformate
conversion to benzaldehyde, 784–85
β-Lactams
fungi and, 473
Bifidobacterium, 258–59, 262, 267–68
peptidoglycan, 282
Bifidobacterium bifidum
iron transport, 745–46
BIIT
See Blood inoculation infectivity test
Biocatalysis
microbial, 773–94
aroma chemicals and, 777–94
bulk flavor chemicals and, 775–77
Biocatalysts
environmental pollution and, 531–41
Biochemical assays
food-borne bacteria and, 405–6
Biogeochemical metal cycles, 312
Biolog Identification System, 409
Bioluminescence, 295–305
food-borne bacteria and, 408
light-measuring devices and, 302
Bioluminescence
applications, 297–301
Bioremediation, 533, 544, 549
heavy metals and, 546

iron-reducing bacteria and, 329–30
Bioreporter genes, 291–95
characteristics, 294–95
Biota
metal reduction and, 320
Black death, 757
Blasticidin S
formation, 234
BLASTN, 650
Blastomyces dermatitidis
cell wall composition, 477
LY303366 and, 484
Blastospore, 476
Blood inoculation infectivity test (BIIT), 144–45
Bloodstream
African trypanosomes and, 141
Boivinose, 226
Bordetella pertussis
integrin-binding proteins, 587
Borrelia burgdorferi
CpG relative abundances, 625
genomic distance orderings, 634
Bovine spongiform encephalopathy (BSE), 655, 667
Brachybacterium
menaquinones, 281
Brachybacterium faecium
menaquinones, 281
Bradyrhizobium japonicum
bioluminescence and, 298
Brain
African trypanosomes and, 141
Branched-chain sugars, 228–29
Brevibacterium
glutamic acid production and, 777
Brevibacterium linens, 279
Brochothrix, 261
Brominated diphenyl ethers
isolation, 568–69
Bromoacetic acid, 167
Brown alga
gram-positive bacteria and, 567
Bryostatin 1, 560, 569
BSE
See Bovine spongiform encephalopathy
BU-4794, 484
Bubonic plague, 757
Bugula neritina, 569
Bulk flavor chemicals
microbial biocatalysis, 775–77

C

Caenorhabditis elegans
genomes, 620
sequence distance orderings, 630
cAMP
sigma transcription factor and, 60, 66–67
CAMP test, 406
Campylobacter
food-borne
polymerase chain reaction assays, 417
Campylobacter coli
food-borne, 402
Campylobacter jejuni
food-borne, 402
Canarose, 226
Cancer
human papillomaviruses and, 428, 433, 440–41
Cancer chemotherapy
opportunistic fungal infection and, 472
Candida
echinocandin lipopeptides and, 478
LY303366 and, 483–84
Candida albicans, 117
azoles and, 488
cell wall composition, 476–77
cell wall structure, 473–74
cilofungin and, 485
fibrinogen and, 604
fibronectin and, 597
nikkomycins and, 488
polyoxin D and, 486–87
pradimicins and, 490–91
Candida guilliermondi
γ-decalactone and, 789
Candida petrophilium, 790
Candida tropicalis, 117
macrocyclic musks and, 792
Carbohydrates
iron reduction and, 320
Carbon
biogeochemical metal cycles and, 312
organic
metal reduction and, 318, 322
Carbonate
iron/manganese and, 327
Carbon cycling
iron/manganese and, 312–15, 318
Carbon oxidation
metal reduction and, 318–20
Carbonyl cyanide m-chlorophenyl hydrazone (CCCP)
manganese reduction and, 335
Cardiac glycosides
biologic potency
deoxysugars and, 224
2-deoxysugars, 225
dideoxyhexoses, 226
Castor oil
biotransformation to γ-decalactone, 789
Catabolic plasmids
ferulic acid metabolism and, 782
Catabolite repression, 11–15
Catalase, 117
in glycosomes, 108
Mycoplasma pneumoniae infection and, 693
Catalase A, 119
Catalase hydroperoxidase II
katF gene and, 56
Catechol-2,3-dioxygenase, 539
inactivation, 535
Catenulospora, 273
CCCP
See Carbonyl cyanide m-chlorophenyl hydrazone
Cell adhesion
extracellular matrix and, 586–87
Cell morphology
sigma transcription factor and, 71–72
Cellulomonas, 261
Cephalopod light organs
associations, 566
Ceratoporella nicholsoni, 571
Cerebrospinal fluid (CSF)
African trypanosomes and, 141
Cervical cancer
human papillomaviruses and, 428, 433, 440–41
Chaetiacandin, 484
Chagas' disease, 106, 144, 500, 605
trans-sialidase and, 515
Chainia, 276
Chainia purpurogena
novel organic molecules, 562
Chalcomycin, 227
Chalcose, 227
Chelation
iron, 744–45
Chemical crosslinking
methane monooxygenase catalytic cycle and, 388–90
Chemical quench studies
methane monooxygenase hydroxylase and, 385–86
Chiral ethane
oxidation by methane monooxygenase
product distribution, 382
Chiral substrate inversion
methane monooxygenase and, 381–83
Chitin synthase inhibitors, 486–89
Chitin synthesis
inhibitors, 472

Chlamydia trachomatis
heparan sulfate-like glycosaminoglycan, 605
sexual transmission of HIV-1 and, 690
Chlamydomonas reinhardtii
COIII gene and, 91
rRNA fragments, 88
Chlamydospore, 476
Chloramphenicol acetyl transferase (CAT) gene, 114
Chloroacetic acid, 164
3-Chloroacrylic acid dehalogenation, 180–81
Chloroalkanes
metabolism
oxygenases and, 182
1-Chloro-*n*-alkanes, 168
Chloroaromatic compounds
metabolism, 171–72
2-Chlorobenzoate
dehalogenation, 182
3-Chlorobenzoate
degradation, 542
4-Chlorobenzoate
dehalogenation, 180
4-Chlorobenzoate dehalogenase, 179–80
Chlorobenzoates
mineralization, 543
Chlorocatechol
ortho-cleavage pathway, 542
2-Chloroethylvinylether, 168
Chloroflexus
peptidoglycan, 282
1-Chlorohexane, 173
Chloromaleylacetate
reductive dehalogenation, 182–83
Chloromuconic acid
dehalogenation, 182
3-Chloromuconic acid, 183
Chloromuconic acid isomerase, 183
4-Chlorophenylacetate
dehalogenation, 182
2-Chloropropionic acid, 167, 173–75
Chlorothricin, 231
Cholera toxin
trypanosome lytic factor and, 158
Chromobacterium
novel organic molecules, 562
Chromose C, 226
Chrysobactin, 748–49
Cilofungin, 472, 477–80
fungal cell wall synthesis and, 485
Citric acid
microbial biocatalysis, 776–77
Citric acid cycle
fatty acid oxidation and, 785
CJD
See Creutzfeldt-Jakob disease
Cladosporium suaveolens, 789–90
Clavibacter, 268
Click beetle
luciferase, 305
Clomipramine
Leishmania and, 455
Clostridium, 265
peptidoglycan, 282
Clostridium acetobutylicum
glutamine synthetase genes
antisense RNA and, 727–28
Clostridium botulinum
neurotoxins, 412
Clostridium perfringens, 412
enterotoxin, 413
food-borne, 402
sialidase, 504
Clove oil, 780
Coagulase, 603
Coated pits
flagellar pocket and, 143
Coated vesicles
flagellar pocket and, 143
Coconut oil, 786–87
Coelenterates, 566
ColE1
antisense RNA and, 716–18
RNA I-RNA II binding, 730–31
Coliphages
tetranucleotides, 627
Colitose, 228, 230
biosynthesis, 231
Collagen-binding MSCRAMMs, 597–602
Colony hybridization method
food-borne bacteria and, 415
Complement
trans-sialidase and, 513–15
Component B
methane monooxygenase
catalytic cycle and, 387–95
Compound 14, 226, 231
Compound 17, 226–27
Compound 18, 227
Compound 19, 227
Compound 20, 227
Compound 21, 227
Compound 22, 228
Compound 23, 228
Compound 24, 228
Compound 25, 228
Compound 26, 228
Compound 27, 230
Compound 28, 229
Compound 29, 229–30
Compound 30, 243
Compound 31, 243
Compound 32, 243
Compound 42, 231
Compound 43, 231–32
Compound 44, 231–33
Compound 47, 233
Compound 48, 233
Compound 49, 236, 249
Compound 50, 234, 249
Compound 51, 249
Compound 52, 236, 249
Compound 54, 234
Compound 55, 234
Compound 56, 237
Compound 57, 239, 249
Compound 58, 239
Compound 62, 240, 249
Compound Q
chemical nature, 386–87
Computational DNA sequence analysis, 619–50
Conductance
food-borne bacteria and, 407
Condylomata acuminata, 442
Condylomatous lesions
human papillomaviruses and, 429
Coniferylaldehyde, 781
Connective tissue
African trypanosomes and, 141
Cordycepin, 225
biosynthesis, 229
Cordycepose, 225
Corneal transplantation
Creutzfeldt-Jakob disease and, 664
Corynebacteriaceae, 271–73
Corynebacterium, 259, 262, 268
chloroalkane metabolism
oxygenases and, 182
glutamic acid production, 777
growth on eugenol, 780
mycolic acids, 281
Corynebacterium amycolatum, 273
Corynebacterium diphtheriae
Fur-like genes, 763–64
Corynebacterium glutamicum, 267
Corynebacterium N-1074
dehalogenating enzymes, 179
Couchioplanes, 273
peptidoglycan, 282
Creutzfeldt-Jakob disease (CJD), 656, 661–63
human growth hormone therapy and, 665–66
iatrogenic, 664–65
Cristispira
molluscs and, 566
Crithidia
glycosomes, 107–8
Crithidia fasciculata
glycosomal isozymes, 110
glycosomes, 107

Cryptococcus neoformans
cell wall composition, 477
polyoxin D and, 486
pradimicins and, 490
Cryptosporidium, 82
CSF
See Cerebrospinal fluid
Cumene hydroperoxide
methane monooxygenase and, 380
Curli, 72
Curtobacterium, 268
Cyanobacteria, 264
abundance in oceans, 563
iron-uptake systems, 756–57
Cyanobacterial symbionts, 569
Cyclin A
viral E7 proteins and, 435
Cyclin D1
viral E7 proteins and, 435
Cyclin E
viral E7 proteins and, 435
Cyclin E2F
viral E7 proteins and, 435
Cyclopentadecanolide, 792
Cystic fibrosis
siderophores and, 747
Cystodytes lobatus, 570
Cytochrome *b*
iron reduction and, 333
manganese reduction and, 335
Cytochrome *c*
iron reduction and, 333
manganese reduction and, 335
Cytochrome P-450
hydrocarbon oxidation and, 372
structure, 536–37
substituent migration and, 380
Cytokines
human immunodeficiency virus and, 691
Cytolysin, 747
Cytophaga, 264
Cytosylglucuronic acid
conversion to blasticidin S, 234

D

Dactylosporangium, 273
Daunomycin
formation genetics, 235–36
Daunorubicin, 249
amino sugar, 234
antineoplastic activity
daunosamine and, 224
formation genetics, 235–36
Daunosamine, 234–36
antineoplastic activity and, 224
γ-Decalactone
microbial biocatalysis, 788–91
DEFT
See Direct epifluorescent filter technique
Dehalogenases, 164
4-chlorobenzoate, 179–80
dichloromethane, 177–78
haloacetate, 167, 172
haloacid, 167–68
2-chloropropionic acid-specific, 173–75
haloalkane, 168–73
catalytic mechanism, 169
hydrolytic, 164–77
tetrachloro-p-hydroquinone reductive, 178
Dehalogenating enzymes, 163–87
Dehalogenation
enzyme-catalyzed, 167
reductive, 183
4,6-Dehydratases, 230, 243–44
Dehydrochlorinase, 184
Dehydrodiconiferyl alcohol, 779
Dehydrodivanillic acid, 779
Dehydrohalogenation, 184
Deinococcus, 265
Denitrification, 315
2-Deoxy-2,3-didehydro-*N*-acetylneuraminic acid
trans-sialidases and, 509
Deoxyhexoses, 224–25
6-Deoxyhexoses, 225–26
Deoxymulundocandin, 478
Deoxysugars, 223–50
biogenesis, 229–34
genetics of formation, 234–42
naturally occurring, 225–29
structures, 227
Dermatophilaceae, 276
Dermatophilus, 276
Dermatophilus congolensis, 268
Dermatophytes
cell wall composition, 477
Desosamine, 249
Desulfovibrio desulfuricans, 330
Desulfuromonas acetoxidans, 312, 329–30
DFMO
See Difluoromethylornithine
DHAP
See Dihydroxyacetone phosphate
DHFR
See Dihydrofolate reductase
DHMF
See 2,5-Dimethyl-4-hydroxyfuran-3-one
Diaphorase, 245
Dichloroacetic acid, 167
1,2-Dichloroethane, 168
catabolic pathway, 168
Dichloromethane dehalogenase, 177–78
Dichloromuconic acid, 183
2,2-Dichloropropionic acid, 167
Dicots
iron deficiency and, 748
Dictyostelium discoideum
gene expression
pH and, 454
Dicyclohexylcarbodiimide, 85
Didemnin B, 560
2,6-Dideoxyhexose, 226–27
biosynthesis, 231–32, 249–50
3,6-Dideoxyhexose, 225, 227–28
biosynthesis, 231
enzymes involved, 242–49
formation
C-3 deoxygenation step and, 247
4,6-Dideoxyhexose, 227
biosynthesis, 249–50
formation, 232–33
Dideoxysugars, 226–28
DIDS
See 4,4′-Diisothiocyananostilbene-2,2′-disulfonic acid
Dienelactone hydrolase, 171
Difluoromethylornithine (DFMO)
trypanosomiasis and, 127
Digitoxose, 226
Dihydrofolate reductase (DHFR), 117
Dihydroorotate dehydrogenase
tetracycline and, 91
Dihydroxyacetone phosphate (DHAP), 109
Dihydroxyacetone synthase, 117
Dihydroxybiphenyldioxygenase, 536, 540
4,4′-Diisothiocyananostilbene-2,2′-disulfonic acid (DIDS)
Leishmania donovani promastigotes and, 457
Diketopiperazines, 568
Dimethylcyclohexane
conformation, 11
1,1-Dimethylcyclopropane
methane monooxygenase and, 381
2,5-Dimethyl-4-hydroxyfuran-3-one (DHMF), 793
Dinoflagellates
saxitoxin isolation, 568
Dinucleotides
relative abundances, 622–24
viral
extreme relative abundances, 626–27
Dioxygenases, 181–82
Diphtheria toxin
trypanosome lytic factor and, 158
2,2-Dipyridyl
iron transport and, 746
Direct epifluorescent filter technique (DEFT), 408
Dissimilatory metal-reducing organisms, 327–30

Dissimilatory metal reduction, 322–27
DNA
mitochondrial, 83–94
DNA hybridization
assays
food-borne bacteria and, 414–15
TetA antiporter and, 347
DNA probe-based testing
food-borne bacteria and, 414–16
DNA:rRNA hybridization assays
actinomycetes and, 262
DNA sequence analysis, 619–50
compositional extremes, 624–26
dinucleotide relative abundances, 628–30
eukaryotic distance orderings, 630
genomic partial ordering comparisons, 631–32
genomic sequence inhomogeneities, 640–45
oligonucleotide frequencies and relative abundances, 628–30
prokaryotic distance orderings, 632–36
rare and frequent oligonucleotides and peptides, 636–40
relative abundance distance measures, 628–30
score-based methods, 645–49
viral dinucleotide extreme relative abundances, 626–27
DNA tumor viruses
host cell immortalization and, 434
Doxorubicin
antineoplastic activity
daunosamine and, 224
formation genetics, 235–36
Doxycycline
Mycoplasma fermentans and, 695
Drosophila melanogaster
genomic distance orderings, 636
nonredundant protein sequences, 639
sequence distance orderings, 630
Duanosamine, 249
Dura mater grafting
Creutzfeldt-Jakob disease and, 665
Dysidea herbacea, 569

E

EBV
See Epstein-Barr virus
ECB
See Echinocandin B
Echinocandin B (ECB), 477–83
semisynthetic analogues, 472, 479–80
structure, 478
Echinocandin lipopeptides
glucan synthesis and, 472, 477–84
modes of action, 485–86
structures, 478
Echinoderms
subcuticular bacteria and, 566
ECM
See Extracellular matrix
EEG electrode implantation
Creutzfeldt-Jakob disease and, 664–65
EHEC-TEK, 411
Eimeria, 82
Eimeria bovis
mitochondrial DNA, 93
Eimeria tenella
plastid DNA, 98
sialidase, 502
ELCA
See Enzyme-linked coagulation assay
Electron acceptors
comparison, 316
Electron microscopy
trypanosome lytic factor and, 148–49
Electron nuclear double resonance (ENDOR)
methane monooxygenase hydroxylase diiron clusters and, 376–77
ELISA
See Enzyme-linked immunosorbent assay
Elytrosporangium, 276
EMBL, 263
Endocarditis, 607
Endocytic internal degradation model
trypanosome lysis and, 154–55
Endocytosis
receptor-mediated
flagellar pocket and, 143
ENDOR
See Electron nuclear double resonance
Endosymbiont hypothesis, 622
Endotoxin A
trypanosome lytic factor and, 158
Endotrypanum
trans-sialidase, 501
Enliten test, 408
Enterobacter
type 3 fimbriae, 601
Enterobacteriaceae
biochemical assays, 405–6
carbohydrate antigens, 228
Enterobacteriaceae II, 406
Enterobactin, 749–50, 753–54
Enterotoxins
staphylococcal immunoassays, 412
Enterotube II, 406
Environmental biotechnology, 527
Environmental metal cycling, 315–22
Environmental pollution, 525–51
biocatalysts and, 531–41
biological solutions and, 527–28
biological treatment processes and, 528–29
expression factors and, 530–31
transposon cloning vectors and, 529–30
Environmental reduction, 317
Enzyme-linked coagulation assay (ELCA)
food-borne bacteria and, 413
Enzyme-linked immunosorbent assay (ELISA)
food-borne bacteria and, 410–13
Epibiosis, 570
Epidermodysplasia verruciformis (EV), 428–29, 433
Epifagus virginiana
plastid DNA, 96–97
Epimastigotes
sialic acid, 501
EPR spectroscopy
methane monooxygenase catalytic cycle and, 390
Epstein-Barr virus (EBV), 434
lytic origin of replication, 642
Erwinia
bioluminescent, 298
Erwinia chrysanthemia
chrysobactin, 748–49
Erysipelothrix, 261
Erythromycin, 249, 274
biosynthetic pathway, 236–37
Plasmodium falciparum and, 89
Erythromycin A, 236
Escherichia
iron reductase, 331
Escherichia coli
β-galactosidase, 12, 16
bioluminescent, 298
collagen-binding MSCRAMM, 600–2
CTAG tetranucleotide, 625–26
γ-decalactone, 789
DicF RNA
antisense RNA and, 727

DNA repair mechanisms, 70–71
epithelial cell sialic acid and, 511
ferrichrome receptor, 763
food-borne, 402, 404
DNA probe-based assays, 414
enzyme-linked immunosorbent assays, 411–12
polymerase chain reaction assays, 417
Fur-like genes, 763
Fur protein, 763–65
gene expression
pH and, 454
genomes, 620
genomic distance orderings, 636
inositol metabolism, 12
iron-uptake systems, 749–52
lacZ system, 294
lambdoid phages, 194
lambdoid prophage insertion sites, 209
nonredundant protein sequences, 638–40
O antigen genetics, 240
OmpF expression
antisense RNA and, 726–27
repetitive extragenic palindromes, 620
sialic acid
complement activation and, 514
siderophore detection, 745
sigma transcription factor, 58–59
vegetative, 63
sliding window analyses, 644
starvation survival strategy, 54–55
tetracycline resistance proteins, 347
toxins
trypanosome lytic factor and, 158
tRNA binding, 88
tryptophanase, 16
virulence genes
modulation, 72
Escherichia coli K-12
defective lambdoid prophages, 207
Ethane
oxidation by methane monooxygenase
product distribution, 382
Ethanol
iron reduction and, 320
4-Ethylcatechol, 539
Ethylene
halogenated
methane monooxygenase and, 380
Ethylene brassylate, 792
4-Ethyltoluene, 539
Eubacterium, 261
Eugenol
biotransformation, 780–81
Euglena gracilis
rRNA fragments, 88
Eukaryotes
ferulic acid decarboxylation and, 782
gene expression, 454
Eukaryotic cells
gene expression
DNA flexibility and, 19–20
peroxisomes, 107
tet regulatory system and, 363–65
Eukaryotic sequences
distance orderings, 630
EV
See Epidermodysplasia verruciformis
Evermicose
formation, 233
EXAFS
See X-ray absorption spectroscopy fine structure
Exons
location in human β-globin and growth hormone sequences, 647–49
score-based prediction, 646–47
Exonuclease III
DNA repair and, 71
Extracellular matrix (ECM)
cell adhesion and, 586–87

F

Fatal familial insomnia (FFI), 656, 661–62
Fatty acid desaturases
diiron clusters, 375
Fatty acid oxidation
citric acid cycle and, 785
peroxisomes and, 107
Feedback inhibition, 13
FEH
See Focal epithelial hyperplasia
Fermentation
of glucose, 776–77
of glutamic acid, 777
Ferric citrate, 750
Ferric dicitrate, 764–65
Ferric enterochelin, 751–52
Ferrichrome, 749
Ferrichrome A, 759
Ferrichrome receptor, 762
Ferric iron reduction, 331–34
Ferric phosphate, 326
Ferric reductase
localization/induction of activity, 334
respiration-linked, 331–32
Ferrioxamines, 749
Ferripyochelin, 753
Ferripyoverdin, 753
Ferrisiderophores, 331
Ferritin, 747
Ferulic acid metabolism, 779, 781–83
FFI
See Fatal familial insomnia
Fibrinogen-binding MSCRAMMs, 602–4
Fibronectin-binding MSCRAMMs, 589–97
Firefly
luciferase, 298
Flagellar pocket, 141–43
receptor-mediated endocytosis and, 143
Flavobacterium, 264
anti-tumor polysaccharide, 575
Flavobacterium ATCC33790
dehalogenating enzymes, 166
Flavobacterium ATCC39723
dehalogenating enzymes, 165
Flavodoxin, 756
Flavor chemicals
microbial biocatalysis, 775–77
role in foods, 774
Fluorescence
food-borne bacteria and, 408
Fluorescence spectroscopy
methane monooxygenase catalytic cycle and, 388–90
Fluoroacetic acid, 167
Fluorochromes, 408
Fluoroquinolone DR-3335
human immunodeficiency virus and, 689
Focal epithelial hyperplasia (FEH)
genetic predisposition, 433
Food-borne bacteria, 401–20
antibody-based tests, 409–14
isolation and identification, 403
miniaturized biochemical assays, 405–6
nucleic acid-based tests, 414–17
physicochemical assays, 406–9
Food chain
methanogenic, 321
Food poisoning, 568
Formate
iron reduction and, 331
Shewanella putrefaciens and, 329
FR901379, 478
Frankia, 276
Freeze quench studies

methane monooxygenase hydroxylase and, 384
Fructose
microbial biocatalysis, 775–76
Fucose, 225
Fungal cell wall
antibiotics and, 471–91
as antifungal target, 475–77
benanomicins and, 489–91
chitin synthase inhibitors and, 486–89
echinocandin lipopeptides and, 477–84
functions, 475
glucan synthase inhibitors and, 477–86
mannan-binding antibiotics and, 489–91
nikkomycins and, 486–89
papulacandins and, 484
polyoxins and, 486–89
pradimicins and, 489–91
structure and composition, 473–75
Fungi
iron-uptake systems, 759–61
methyl ketones and, 785
pathogenic
cell wall composition, 477
Fur box, 763
Fur protein, 763–65
Fusobacterium prausnitzii ATCC27766, 270

G

Gaffkya homari, 574
Galactose
parasite penetration and, 511
Galactose dehydrogenase, 537
β-Galactosidase, 12, 16
GAPDH
See Glyceraldehyde-3-phosphate dehydrogenase
Gardnerella vaginalis, 268
Gastritis, 759
GDH
See Glycerol phosphate dehydrogenase
GENBANK, 210–11, 263
GeneID, 646
GeneModeler, 646
GeneParser, 646
Genes
score-based prediction, 646–47
Genetic engineering, 527, 544
chemical mechanism of isomerization and, 776
Genital ulcers
sexual transmission of HIV-1 and, 690
Genital warts
genetic predisposition, 433–34
GENMARK, 646
Genomic sequences
compositional extremes, 621–27
distribution of close repeats and dyads, 641–42
inhomogeneities, 640–45
quantile distributions of compositions, 642–45
Geobacter metallireducens, 311–12, 329–30
iron reductase activity, 332–33
Geodermatophilus, 276
Gerstmann-Sträussler-Scheinker disease (GSS), 656, 661–64
gGAPDH
See Glycosomal glyceraldehyde phosphate dehydrogenase
Gingivitis, 603
GK
See Glycerol kinase
β-Globin sequences
location of exons, 647–49
Glossina, 26, 141
Glucan synthase inhibitors, 477–86
Glucan synthesis
inhibitors, 472
Glucose
aerobactin production and, 764
enzyme synthesis and, 14
iron reduction and, 320
isomerization by xylose isomerase, 775–76
Glucose effect, 14
Glucosephosphate isomerase (PGI), 111
β-D-Glucosyl-hydroxymethyluracil, 31
Glutamic acid
microbial biocatalysis, 777
Glutamine synthetase, 17–19, 21
antisense RNA and, 727–28
Glutathione
oxidative stress and, 122
T-cell immune function and, 693
Glutathione peroxidase
oxidative stress and, 122
Glutathione reductase
oxidative stress and, 122
Glutathione transferase, 177–78
Glyceraldehyde-3-phosphate dehydrogenase (GAPDH), 110
Glycerol 3-phosphate
iron reduction and, 331
Glycerol kinase (GK), 111
Glycerol phosphate dehydrogenase (GDH), 111
α-Glycerophosphate oxidase system, 109
Glycogen synthesis
sigma transcription factor and, 73
Glycomyces, 277, 279
Glycophorin A
sialic acid, 511
Glycosomal glyceraldehyde phosphate dehydrogenase (gGAPDH), 111
Glycosomal import
internal targeting signals, 124–25
peroxisomal targeting signal, 122–24
Glycosomal protein import
as chemotherapeutic target, 127–28
Glycosomal proteins
biosynthesis and assembly, 110–12
genes encoding, 110
genomic organization and expression, 113
Glycosomal targeting signals, 112–22
Glycosomes, 105–28
assembly
mutational analysis, 126–27
luciferase import, 114–19
membrane proteins, 125
metabolic functions, 109
morphology and biogenesis, 107–9
Glyoxylate cycle, 107–8
Glyoxysomes, 107
GMP reductase, 13
Gordona, 273
mycolic acids, 281
GRAIL, 646
Gram-negative bacteria
collagen-binding MSCRAMMs, 600–62
extracellular matrix-binding molecules, 590
fibrinogen-binding MSCRAMMs, 603–4
fibronectin-binding MSCRAMMs, 595–96
iron deprivation and, 762
Gram-positive bacteria, 261
abundance in marine sediments, 567
collagen-binding MSCRAMMs, 597–600
fibrinogen-binding MSCRAMMs, 602–3
fibronectin-binding MSCRAMMs, 589–95
Gram-positive cocci, 259
Granaticin, 231
Green alga
gram-positive bacteria and, 567
Growth hormone sequences
location of exons, 647–49

Growth hormone therapy
Creutzfeldt-Jakob disease and, 665–66
GSS
See Gerstmann-Sträussler-Scheinker disease
Guaiacol, 777, 782
Guanosine tetraphosphate
bacterial response to starvation and, 61

H

Haemophilus, 268
Haemophilus influenzae, 347
genomic distance orderings, 636
heme utilization, 758
Halimeda
gram-positive bacteria and, 567
Haloacetate dehydrogenase, 167, 172
Haloacid dehalogenase, 167–68
2-chloropropionic acid-specific, 173–75
Haloalcohol lyase, 178–79
Haloalkane dehalogenase, 168, 536
catalytic mechanism, 169
Haloalkanes
enzymatic degradation, 167
Halobacterium halobium
CpG relative abundances, 625
genomic distance orderings, 633
Halobacterium salinarium
antisense RNA, 725
2-Halocarboxylic acids, 164–67, 173
Halogenated ethylenes
methane monooxygenase and, 380
Halohydrin hydrogen halide lyases, 178–79
Halopropanols
microbial dehalogenation, 179
Hansenula polymorpha, 117
amine oxidase, 119
peroxisomal assembly mutants, 126
HCMV
See Human cytomegalovirus
HDLs
See High-density lipoproteins
Heat shock
axenic transformation and, 458–59
Heat-shock proteins
of *Leishmania*
molecular cloning and characterization, 459–63
Heavy metals
bioremediation and, 546
iron/manganese and, 326
HEC O157 ELISA, 411
Helicobacter pylori
siderophore production, 759
Hemagglutinin, 587
Heme, 747
as iron source, 757–58
Hemerythrin
diiron clusters, 375
Hemoglobin
as iron source, 757–58
Hemolysin, 747
Heparan sulfate, 604–5
penetrin and, 513
Heparin-binding MSCRAMMs, 604–5
2-Heptanone, 785–87
2-Heptyl-4-hydroxy-quinone-*N*-oxide (HQNO)
iron reduction and, 333
manganese reduction and, 335
Herbicides
transposon selection markers and, 530
Herpes simplex virus
amino acid sequences, 629
Herpesviruses, 428
amino acid sequences, 629
genomes, 620
Hexachlorocyclohexane
metabolism, 184
γ-Hexachlorocyclohexane
catabolic pathway, 173
Hexachloroethane
dehalogenation, 537
Hexadecanolide, 792
Hexokinase (HK), 111
Hexoses, 224
4-Hexuloses, 230
High-density lipoproteins (HDLs)
African trypanosomes and, 139–59
Histidase, 15, 17
Histidine
biosynthesis, 11–15
Histoplasma capsulatum
cell wall composition, 477
LY303366 and, 483–84
HIV
See Human immunodeficiency virus
HK
See Hexokinase
Homarus americanus, 570
Homologous recombination
variant surface glycoprotein genes and, 33–36
Host-encoded killer systems
antisense RNA and, 722–23
HPV
See Human papillomaviruses
HQNO
See 2-Heptyl-4-hydroxy-quinone-*N*-oxide
Human cytomegalovirus (HCMV)
lytic origin of replication, 642
Human growth hormone therapy
Creutzfeldt-Jakob disease and, 665–66
Human immunodeficiency virus (HIV)
acquired immunodeficiency syndrome and, 688
interaction with mycoplasmas, 689–90
Human immunodeficiency virus (HIV) infection
cofactor, 690–93
Mycoplasma penetrans and, 687–88
oxidative stress and, 692–93
progression, 691–93
superantigens and, 691–92
transmission, 690–91
Human papillomaviruses (HPV), 427–42
cellular longevity and, 441–42
detection methods, 431–33
distribution of infections, 429–31
genital warts and, 433–34
immortalization/transformation and, 434–38
immortalized cells
malignant progression, 438–39
immune response and, 441
hut system, 15–17
autogenous regulation, 18
Hydratases, 179–81
Hydrocarbons
compound Q and, 386
oxidation, 372–74
Hydrocyanic acid, 784
Hydrogen
iron reduction and, 321, 331
Shewanella putrefaciens and, 329
Hydrogenosomal enzymes, 108
Hydrogenosomes, 107–8, 114
Hydrogen peroxide
human immunodeficiency virus gene expression and, 693
Hydrolytic dehalogenases, 164–77
4-Hydroxybenzoate, 179
4-Hydroxy-3-methoxystyrene, 782–83
Hydroxynaphthoquinones, 85
Hygromycin B
marker genes conferring drug resistance, 114
Hyphomicrobium
dichloromethane degradation, 177
Hyphomicrobium MC1

methylchloride utilization
oxygenases and, 182
Hypogammaglobulinemia
mycoplasmal infection and, 704
Hypoxanthine-guanine phosphoribosyltransferase
genes encoding, 121

I

IHF
See Integration host factor
Imidazole propionate, 15
Imipramine
Leishmania and, 455
Immortalization
human papillomaviruses and, 434–38
Immune response
human papillomaviruses and, 441
iron-regulated proteins and, 747
parasitic infection and, 140
Immune system
human immunodeficiency virus infection and, 691
Immunofluorescent assays
food-borne bacteria and, 409–10
Immunomagnetic separation (IMS)
food-borne bacteria and, 417
Impedance
food-borne bacteria and, 407
IMS
See Immunomagnetic separation
IncF plasmid conjugation
antisense RNA and, 722
Influenza virus
sialic acid and, 500–1, 511
Inositol
isomers
conformations, 12
oxidation, 5
metabolism, 11–15
Insomnia
fatal familial, 656, 661–62
Integrase
phage-coded, 204
Integrase operon, 210–11
Integration host factor (IHF)
sigma transcription factor and, 67
Interleukin-1
mycoplasmas and, 691
Intrasporangium calvum, 279
Invasin, 587
Invertebrates
associations with marine bacteria, 566–67
In vitro amplification
food-borne bacteria and, 416–17
Iron
anaerobic respiration and, 311–39
bioavailability
chemical interactions and, 324–27
carbonate and, 327
carbon cycling and, 312–15, 318
chelators, 744–45
methane production and, 321
organic compounds and, 325–26
patterns of distribution, 313
phosphate and, 326
photoreduction, 326
reactions in natural environments, 314
redox cycling, 319
redox potentials, 315
redox transformations, 312
reduced
oxidized manganese and, 325
oxygen and, 324
reduction
carbohydrates and, 320
dissimilatory, 322–27
ferric, 331–34
inhibitors, 333–34
nitrate and, 320
trace metals and, 326–27
transport
microbial, 732–66
Iron box, 763
Iron oxides, 323
Iron-reducing bacteria
bioremediation and, 329–30
magnetite and, 327
Iron reductase
localization/induction of activity, 334
respiration-linked, 331–32
Iron sulfides, 324–25
Iron-uptake systems, 746–49
bacterial, 749–59
fungal, 759–61
similarities and differences, 761–65
Isochores, 620
Isoprenoid quinones, 281
Isorhapotin, 780

J

Jania
tetrodotoxin production, 568
Jonesia
menaquinones, 281
Jonesia denitrificans, 261

K

Kaposi's sarcoma (KS)
Mycoplasma penetrans antibodies and, 698
katF gene
biochemical characterization, 57
genetic characterization, 55–56
homologues, 58–59
physical characterization, 56–57
posttranscriptional control, 62
promoter region
structure, 61–62
transcriptional control, 59–61
variability, 57–58
Keratinocytes
immortalization
high-risk viruses and, 435
Kibdelosporangium aridum, 274
Kineococcus, 279
Kineosporia, 279
Kinetoplast, 141
Kinetoplastid, 141
flagellar pocket, 141–43
glycosomes, 108
Kitasatoa, 276
Kitasatosporia, 276–77
Klebsiella aerogenes
auxotrophic mutants, 12
glutamine-requiring mutants, 17–18
histidine degradation pathway, 14
histidine degradation system, 15–17
inositol metabolism and, 12
nac gene, 20
Klebsiella K32
extracellular polysaccharides, 793
Klebsiella pneumoniae
collagen-binding MSCRAMM, 600–2
genomic distance orderings, 636
O antigen genetics, 240
sigma factor homologues, 59
KS
See Kaposi's sarcoma
Kurthia, 261
Kuru, 657, 661
Kutzneria, 274

L

L-687,781, 484
L-705,589, 484
L-731,373, 484
L-733,560, 484
lac system, 7, 15–17
Lactate

iron reduction and, 331
Shewanella putrefaciens and, 329
Lactic-acid bacteria, 259
Lactobacillus, 268, 699
Lactoferrin, 747
utilization by pathogens, 758–59
Lambdoid phage HK022, 197
antitermination, 199–200
integration genes, 210–11
nun gene, 199
Lambdoid phage KH97
head protein subunits, 203
Lambdoid phages, 193–218
accessory genes, 207, 216–17
cII specificity, 198
comparative genome structure, 209–12
core *att* sequences, 206
genetic functions, 196–207
insertion/excision genes, 204–6
lysis genes, 203–4
molecular phylogeny, 215
polymorphism, 215–16
productive-cycle transcription, 198–201
recombination, 212–15
recombinational origin, 209–10
replication, 201
repression, 196–98
repressor binding, 197
repressor synthesis, 197–98
speciation, 217–18
virion structure and assembly, 201–3
Lambdoid prophages
defective, 207–8
map, 195
Laminin-binding MSCRAMMs, 607
Lankamycin, 227
Lankavose, 227
Latex agglutination assay
food-borne bacteria and, 413–14
LCAT
See Lecithin cholesterol acyltransferase
Lecithin cholesterol acyltransferase (LCAT), 147
Legionella pneumophila
iron transport, 745–46
Leishmania, 106, 449–64
adaptation to acidic environments, 451–52
extracellular pH and, 452–54
gene expression
temperature-induced, 458–59
glycosomes, 107
heat-shock proteins
molecular cloning and characterization, 459–63
heparin-binding activity, 604–5
life stages, 450–51
pH homeostasis, 456–57
pH tolerance, 451–55
stage differentiation
pH and temperature and, 463–64
thermotolerance, 457–58
Leishmania amazonensis
heparin-binding activity, 605
hsp70 genes, 460
promastigotes, 459
Leishmania braziliensis
ATPase genes, 456
infectivity
temperature and, 457
Leishmania donovani
amastigote-like cultures, 464
glucose transporter gene, 455
hsp70 genes, 461
hypoxanthine-guanine phosphoribosyltransferase, 121
intracellular pH, 456–57
promastigotes, 451–52
proton-translocating ATPase, 455–56
temperature-sensitive growth, 457–58
Leishmania donovani chagasi, 461
Leishmania enriettii
foreign genes expressed, 114
glucose transporter gene, 455
Leishmania major
hsp70 genes, 460
promastigotes, 452
heat shock and, 459
thymidine kinase marker, 114
virulence
temperature and, 457
Leishmania mexicana
ATPase genes, 456
glycosomes, 107
hypoxanthine-guanine phosphoribosyltransferase, 121–22
metacyclogenesis, 453
promastigotes/amastigotes, 451–53
temperature-sensitive growth, 457
Leishmania mexicana amazonensis
hsp83 gene, 461–63
promastigotes, 452
Leishmania mexicana braziliensis
amastigote-like cultures, 464
Leishmania mexicana panamensis
amastigote-like cultures, 464
Leishmania mexicana pifanoi
amastigote-like cultures, 464
Leishmania panamensis
temperature-sensitive growth, 457
Leishmaniasis, 450
Leptomonas
glycosomes, 107
catalase and, 108
Leptomonas seymouri
foreign genes expressed, 114
Leucine-responsive regulatory protein
sigma transcription factor and, 67
Leukocidin, 159
Lignin, 777
microbial oxidation to vanillin, 783
Lignin model compounds
microbial oxidation, 779
Lipopolysaccharide (LPS)
3,6-dideoxyhexoses and, 227
Lipoprotein lipase (LP), 147
Lipoproteins
human plasma
general features, 146–47
See also High-density lipoproteins
Listeria, 261
food-borne
biochemical assays, 406
reversible target capture assay, 416
Listeria denitrificans, 261
Listeria monocytogenes
food-borne
DNA probe-based assays, 414–15
immunofluorescent assays, 409–10
polymerase chain reaction assays, 416–17
lux fusions and, 299
refrigeration and, 420
Lobophora variegata
gram-positive bacteria and, 567
LPL
See Lipoprotein lipase
LPS
See Lipopolysaccharide
Luciferase, 298, 305–6, 408
import into glycosome, 114–19
Luciferin, 408
LY121019, 477–78
LY303366, 472, 483–84
Lyases, 178–79
Lymphatic system
African trypanosomes and, 141
Lysozymes
lambdoid phages and, 203

M

Macrocylic musks
microbial biocatalysis, 792–93

Macrolide antibiotics, 280
biosynthesis, 233–34
Maduromycetes
novel organic molecules, 562
Magnetic circular dichroism (MCD)
methane monooxygenase hydroxylase diiron clusters and, 377
Magnetite
Geobacter metallireducens and, 330
iron-reducing bacteria and, 327
Malaria, 82, 511
Malate dehydrogenase (MDH), 111, 122
Maleylacetate reductase, 183
Malignant progression
human papillomavirus-immortalized cells and, 438–39
Malondialdehyde
human immunodeficiency virus infection and, 693
Malthus M1000S, 407
Manganese
anaerobic respiration and, 311–39
bioavailability
chemical interactions and, 324–27
carbonate and, 327
carbon cycling and, 312–15, 318
Fur protein and, 763
organic compounds and, 325–26
oxidized
reduced iron and, 325
patterns of distribution, 313
phosphate and, 326
photoreduction, 326
reactions in natural environments, 314
redox cycling, 319
redox potentials, 315
redox transformations, 312
reduction
carbon oxidation and, 320
dissimilatory, 322–27
oxidative phosphorylation and, 335
sulfide and, 320
trace metals and, 326–27
Manganese oxides, 323, 325
reduction, 335–36
Manganese reductase, 335–36
Manganese sulfides, 324–25
Mannan inhibitors, 472
Marine bacteria
adaptations to diverse habitats, 570–71
associations with plants and invertebrates, 566–67
culturability, 571–72
distribution in sea, 564–65
iron-uptake systems, 756–57
secondary metabolites, 559–77
biological activities, 574–75
Marinococcus, 574
MCD
See Magnetic circular dichroism
MDH
See Malate dehydrogenase
Melarsoprol
trypanosomiasis and, 127
Menaquinone
evolution, 281
Geobacter metallireducens and, 330
Mercuric salts
transposon selection markers and, 530
Metacyclogenesis, 453
Metal cycling
environmental, 315–22
Metal oxides, 323
Metal photoreduction, 326
Metal-reducing organisms
dissimilatory, 327–30
Metal reductase systems
evolution, 337
Metal reduction
biota and, 320
carbon oxidation and, 318–20
dissimilatory, 322–27
organic carbon and, 318, 322
physiology and biochemistry, 331–36
rates, 332
regulation and molecular genetics, 336–37
Methane
oxidation pathway, 373
Methane monooxygenase (MMO), 371–95
catalytic cycle
reductase/component B and, 387–95
reaction cycle, 379
structure, 374–78
subsystems, 388
Methane monooxygenase hydroxylase (MMOH), 536
diiron clusters, 375–78
active-site structure, 378
mechanism, 378–87
turnover cycle, 383
Methane monooxygenase reductase, 245
Methane production
iron and, 321
Methanobacterium thermoautotrophicum
CpG relative abundances, 624
genomic distance orderings, 634
Methanogenic food chain, 321
Methanotrophic bacteria, 372
classes, 374
methane oxidation pathway, 373
Methylchloride
oxygenases and, 182
Methyl ketones
biotransformation of fatty acids and, 787
commercial applications, 786–87
microbial biocatalysis and, 785–88
Methylobacterium
dichloromethane degradation, 177
methane monooxygenase, 374
Methylobacterium DM4
dehalogenase gene, 178
dehalogenating enzymes, 165
Methylococcus capsulatus
methane monooxygenase, 374, 381, 390–92
Methylocystis
methane monooxygenase, 374
Methylosinus trichosporium
methane monooxygenase, 374–75, 381, 390–92
Microbacterium, 262
Microbial biocatalysis, 773–94
aroma chemicals and, 777–94
bulk flavor chemicals and, 775–77
Microbial consortia, 291–306
techniques, 293–95
Microbial Identification System (MIS), 408–9
Microbial iron transport, 743–66
Microbial nutrition, 6
Microbial surface components recognizing adhesive matrix molecules (MSCRAMMs), 585–609
as adhesins and virulence factors, 605–7
characteristics, 588–89
collagen-binding, 597–602
fibrinogen-binding, 602–4
fibronectin-binding, 589–97
heparin-binding, 604–5
Microbodies, 108
Microcin C7
sigma transcription factor and, 74
Micrococcus, 261, 267, 279
Micrococcus halobius, 574
MICROELISA, 410–11
Micro-ID, 406
Micro-ID Listeria, 406

Micromonospora, 273, 279
  antibiotics, 280, 280
Microtetraspora, 277
  peptidoglycan, 282
MIS
  See Microbial Identification System
Mitochondria
  rRNA operons, 622
Mitochondrial DNA, 83–94
Mitochonrial genomes
  relative abundances of dinucleotides, 623
Mitomycin C, 412
MMO
  See Methane monooxygenase
MMOH
  See Methane monooxygenase hydroxylase
Mobiluncus, 270
Molecular evolution, 627–36
Mollicute, 699
Molluscs
  spirochetes and, 566
Molybdate
  sulfate reduction and, 320
Molybdenum
  manganese reduction and, 335
Monocots
  iron deficiency and, 748
Monodeoxysugars, 225–26
Monooxygenases, 181–82
  See also Methane monooxygenase
Moraxella
  biologically active substances, 575
Moraxella B
  dehalogenating enzymes, 165, 172, 174
Morganella
  type 3 fimbriae, 601
Mössbauer spectroscopy
  compound Q and, 387
  methane monooxygenase hydroxylase diiron clusters and, 376
Mouse bioassay
  botulinal toxins and, 412
MSCRAMMs
  See Microbial surface components recognizing adhesive matrix molecules
Mulundocandin, 478
  structure, 478
Mutation
  lambdoid phages and, 196–97
  point
    variant surface glycoprotein genes and, 36
Mycaminose, 238–39, 249
Mycelium, 476
Mycinose, 225, 238
Mycobacteriaceae, 271–73
Mycobacterium, 259, 273
  mycolic acids, 281
Mycobacterium bovis
  85B protein, 596–97
Mycobacterium gastri
  3,6-dideoxyhexoses, 228
Mycococcus, 259
Mycolic acids, 258, 271–73
  evolution, 281–82
Mycoplasma
  acquired immunodeficiency syndrome and, 687–706
  detection and isolation, 694–98
  interaction with human immunodeficiency virus, 689–90
Mycoplasma agalactiae, 699
Mycoplasma arginini
  arginine deaminase, 701
  human immunodeficiency virus and, 689
Mycoplasma arthritidis
  MAM superantigen, 692
  T-cell activation and, 691
Mycoplasma bovigenitalium, 699
Mycoplasma californicum, 699
Mycoplasma capricolum, 694
  CpG relative abundances, 625
  genomic distance orderings, 634
  rRNA operons, 622
Mycoplasma fermentans, 687
  cell invasion, 703–4
  cellular metabolism, 701–2
  human immunodeficiency virus-1 and, 689–90
  isolation, 694
  polymerase chain reaction assay, 696
  specific antibody response, 704
  surface antigen variability, 705
  taxonomy and phylogeny, 698–701
  T-cell activation and, 691
Mycoplasma genitalium
  adhesin, 702–3
  human immunodeficiency virus and, 690
Mycoplasma hominis
  human immunodeficiency virus and, 690
  surface antigen variability, 705
Mycoplasma hyopneumonia
  cytokine expression and, 691
Mycoplasma hyorhinis
  surface antigen variability, 705
Mycoplasma incognitus, 695
Mycoplasma iowae, 699
Mycoplasma lipophilum, 699
Mycoplasma muris, 699
Mycoplasma orale, 701
Mycoplasma penetrans
  cell invasion, 703
  cellular metabolism, 701–2
  histopathologic detection, 695
  human immunodeficiency virus and, 687–89
  isolation, 694
  polymerase chain reaction assay, 696
  seroprevalence, 697–98
  specific antibody response, 704
  taxonomy and phylogeny, 698–701
Mycoplasma pirum, 687
  adhesin, 703
  cell invasion, 703
  cellular metabolism, 701–2
  human immunodeficiency virus and, 689
  isolation, 694
  polymerase chain reaction assay, 696
  taxonomy and phylogeny, 698–701
Mycoplasma pneumoniae, 699
  B-cell activation and, 691
  cell adherence and invasion, 702–4
  epithelial cell sialic acid and, 511
  surface antigen variability, 705
  T-cell activation and, 691
Mycoplasma pulmonis, 699
  B-cell activation and, 691
  surface antigen variability, 705
Mycoplasma salivarium, 701
Mycoplasmatales, 699
Myxothiazol, 85

N

NADH
  See Nicotinamide adenosine dinucleotide
Nagana disease, 26, 106, 140–41
Naphthalene dioxygenase (NDO)
  ferredoxin component
    selective application, 534
Naringin, 793
NDO
  See Naphthalene dioxygenase
Neisseria gonorrhoeae
  CpG relative abundances, 625
  Fur-like genes, 763
  heme utilization, 758–59
  lipopolysaccharide sialylation, 511
Neisseria meningitidis
  Fur-like genes, 763
  heme utilization, 758–59
  sialic acid
    complement activation and, 514

Neocallimastix
hydrogenosomes, 114
Neomycin
marker genes conferring drug resistance, 114
Neosurugatoxin, 568
Neurospora crassa
cilofungin and, 485
DNA repair mechanisms, 629
repeat induced point mutations, 620
Neurotoxins, 412
Nicotinamide adenosine dinucleotide (NADH), 109
Nikkomycins
chitin synthesis and, 472, 486–89
structures, 488
Nitrate
iron reduction and, 320
Nitriloacetic acid
iron transport and, 746
Nitrite
iron reduction and, 320
Nitrobenzene
oxidation
methane monooxygenase and, 384–85
Nitrogen
regulation
in bacteria and yeast, 17–21
Nitrogen fixation
siderophores and, 757
p-Nitrophenol, 385
Nocardia, 279
antibiotics, 280
growth on coniferyl alcohol, 782
mycolic acids, 281–82
Nocardia asteroides, 273
Nocardiaceae, 271–73
Nocardia P18.3
α-pinene degradation and, 791
Nocardioforms, 259–60
Nocardioides, 271, 277
peptidoglycan, 282
Nocardiopsis, 276–78
Nocardiopsis dassonvillei, 277, 279
Nojirimycin, 228
2-Nonanone, 785, 787
Nucleases
mycoplasmas and, 702
Nucleic acid-based testing
food-borne bacteria and, 414–17
Nucleic acid pairing assays
actinomycetes and, 262
Nucleic acids
base composition, 5

O

O antigen
genetics, 240–42
Oerskovia, 261, 277
Oerskovia turbata, 268
Oleandrose, 227
Oligonucleotides
frequencies and relative abundances, 621–22
rare and frequent, 636–40
Oliose, 226
Olivose, 226
Oncogene transcription
high-risk viral, 436–37
Oral contraceptives
sexual transmission of HIV-1 and, 690
Organic acids
iron/manganese and, 325–26
Organic carbon
metal reduction and, 318, 322
Organic compounds
iron/manganese and, 325–26
Organochlorine, 328
Organomercurials
transposon selection markers and, 530
Organ transplantation
opportunistic fungal infection and, 472
Orotate phosphoribosyltransferase, 122
Orotic acid synthesis, 12–13
Orotidine-5′-phosphate decarboxylase, 122
Orthovanadate
Leishmania and, 455
Oscillatoria spongeliae, 569
Oscillatoria tenuis
siderophores, 757
Osmoprotection
sigma transcription factor and, 72–73
Osteomyelitis, 607
Oxidative phosphorylation
manganese reduction and, 335
Oxidative stress
acquired immunodeficiency syndrome and, 692–93
glutathione and, 122
3-Oxoadipate, 183
Oxygen
reduced iron and, 324
Oxygenases, 181–82
Oxyhydroxides, 323
Oxyluciferin, 408

P

PAF
See Peroxisome assembly factor

Palaemon macrodactylus, 570
Papillomaviruses
See Human papillomaviruses
Papovavirus genomes
relative abundances of dinucleotides, 623
Papulacandins
glucan synthesis and, 472, 484
modes of action, 485–86
Paracoccus denitrificans, 332
Paralytic shellfish poisoning, 568
Parasites
See African trypanosomes; Apicomplexan parasites
Parasitic infection
immune response and, 140
Parathion hydrolase, 534
Paratose, 228
biosynthesis, 230
PARP
See Procyclic acidic repetitive protein
Pasteurella pseudotuberculosis
cytidylyltransferase, 243
Pasturella pseudotuberculosis
3,6-dideoxyhexoses, 228
PCBs
See Polychlorinated biphenyls
PCR
See Polymerase chain reaction
Penetrin
cell invasion and, 513, 605
Penicillium crustosum, 786
Penicillium roqueforti
methyl ketones, 785–86
Pentachlorophenol
catabolic pathway, 178
dehalogenation, 182
2-Pentanone, 787
Pentavalent antimonials
trypanosomiasis and, 127
PEPCK
See Phosphoenolpyruvate carboxykinase
Peptic ulcer disease, 759
Peptides
rare and frequent, 636–40
Peptidoglycan
evolution, 282–83
Periodate
methane monooxygenase and, 380
Peroxide
methane monooxygenase and, 380
Peroxide shunt chemistry
methane monooxygenase and, 380
Peroxisome assembly factor (PAF), 108
Peroxisomes, 107
biogenesis, 108–9
fatty acids and, 786

Pertactin, 587
PFK
  See Phosphofructokinase
PGI
  See Glucosephosphate isomerase
PGK
  See 3-Phosphoglycerate kinase
pH
  homeostasis in *Leishmania*, 456–57
  stage differentiation in-*Leishmania* and, 463–64
  tolerance in *Leishmania*, 451–55
Phages
  antisense RNA control, 723–25
  tetranucleotides, 627
Phanerochaete chrysosporium, 789–90
  lignin peroxidase, 783
Phenolic compounds
  iron/manganese and, 325–26
Phenolic stilbenes, 778–80
Phenylalanine
  biotransformation to benzaldehyde, 784
Phleomycin
  marker genes conferring drug resistance, 114
Phosphate
  iron/manganese and, 326
Phosphinotricin
  transposon selection markers and, 530
Phosphoenolpyruvate carboxykinase (PEPCK), 111
  glycosomal targeting signal, 121
Phosphofructokinase (PFK), 111
3-Phosphoglycerate kinase (PGK), 110
  targeting signal for import, 120
Phospholipid exchange model
  trypanosome lysis and, 152–53
Phosphorus
  biogeochemical metal cycles and, 312
Phosphorylation
  transcription and, 20
Photobacterium, 296
Photoreduction, 326
  iron and, 746
Photosynthesis
  phytoplankton
    iron and, 746
Phycobilisomes, 756
Phylogenetic trees, 627, 637
Physicochemical assays
  food-borne bacteria and, 406–9
Phytomonas
  glycosomes, 107
    catalase and, 108
Phytoplankton biomass
  iron supply and, 746
Phytoplankton bloom, 756
Phytoplankton photosynthesis
  iron and, 746
Pichia etchellsii, 789–90
Pichia pastoris
  peroxisomal-assembly mutant, 126
  peroxisome-defective mutant, 125
Pilimelia, 273
α-Pinene
  microbial biocatalysis, 791
Plague, 757
Planobispora, 277
Planomonospora, 277
Plant-microbe systems
  iron uptake, 747–49
Plants
  associations with marine bacteria, 566–67
Plasmid-encoded killer systems
  antisense RNA and, 722–23
Plasmids
  antisense RNA control, 715–23
Plasmodium, 82–101
  erythrocytic stages, 82, 91
  heparin-binding activity, 604–5
  insect stages, 83
  mitochondrial DNA, 83–92
Plasmodium berghei
  extrachromosomal DNA localization, 99–100
  plastid DNA, 94
Plasmodium chabaudi
  rifampicin and, 96
Plasmodium falciparum, 83
  erythromycin and, 89
  heparin-binding activity, 604–5
  organelle DNA inheritance, 98–99
  plastid DNA, 94–97
  protein coding genes, 84–87
  ribosomal RNA genes, 88–90
  rifampicin and, 96
  sialic acid and, 511
Plasmodium gallinaceum, 83
  organelle DNA inheritance, 99
  protein coding genes, 84–87
Plasmodium knowlesi
  plastid DNA, 94
Plasmodium lophurae
  extrachromosomal DNA localization, 99–100
  plastid DNA, 94
Plasmodium yoelii, 83
  extrachromosomal DNA localization, 99–100
  protein coding genes, 84–87
  ribosomal RNA genes, 88
Pneumocandins, 472, 479–484
  semisynthetic derivatives, 483
  structures, 478, 482
Pneumocystis carinii
  cell wall composition, 477
  echinocandins and, 472
  glucan synthase inhibitors and, 485–86
  pneumocandins and, 481–83
  trans-sialidase, 501
Point mutation
  variant surface glycoprotein genes and, 36
Polyadenylation, 45
Polychlorinated biphenyls (PCBs)
  degradation, 540–41, 544–45
Polyclinum planum, 570
Polyketide antibiotics
  formation genetics, 235–36
Polymerase chain reaction (PCR)
  detection of mycoplasmas and, 696
  food-borne bacteria and, 416–17
  protein engineering and, 535
Polymorphism
  lambdoid phage, 215–16
Polyomaviruses, 428
Polyoxins
  chitin synthesis and, 472, 486–89
  structures, 487
Porphyromonas gingivalis
  fibrinogen-binding MSCRAMM, 588, 603
Poxviruses
  genomes, 620
Pradimicin aglycones
  structures, 490
Pradimicins, 489–91
  mannan and, 472
  structures, 489
Prevotella intermedia
  fibrinogen-binding MSCRAMM, 603
Prion diseases, 655–75
  human, 661–66
Prion protein (PrP), 655–57
  discovery, 658–60
  gene structure, organization, expression, 660–61
  mutant
    transgenic mice expressing, 670–71
  synthesis, 667
  synthetic peptides
    secondary structures, 672
  transgenic mice expressing, 668–69
Prion protein (PrP) gene
  ablation in mice, 669–70
Prions
  artificial, 669
  diversity, 672–74
  propagation, 671–72
Proactinomycetes, 259

Prochlorophytes
abundance in oceans, 563
Procyclic acidic repetitive protein (PARP), 27
Procyclin, 26–27
expression sites, 30–31
Procyclin genes
promoters, 111
transcription, 38
variant surface glycoprotein genes and, 47
Prokaryotes
diversity, 563–64
ferulic acid decarboxylation and, 782
gene expression
acidic pH and, 454
Prokaryotic cells
gene expression
DNA flexibility and, 19–20
Prokaryotic sequences
distance orderings, 632–36
Proline
Leishmania insect stages and, 452–53
Promastigotes, 450
differentiation, 451
Propionate
sigma transcription factor and, 60
Propionibacterium, 261, 267, 270–71
peptidoglycan, 282
Propionibacterium acidipropionici, 270
Propionibacterium acnes, 270
Propionibacterium innocuum, 271
Propionibacterium jensenii, 270
Propionibacterium thoenii, 270
Propionic-acid bacteria, 259
Prosurugatoxin, 568
Protatechuic acid
oxidation, 781
Protein crystallography
chemical mechanism of isomerization and, 776
Protein phosphatase 2A
human papillomavirus transcription and, 439
Proteobacteria, 264
peptidoglycan, 282
Proteus
type 3 fimbriae, 601
Proteus vulgaris
aromatic amino acid deamination, 783
Protocatechuic acid, 782
ferulic acid metabolism and, 779
Protogonyaulax tamarensis
shellfish toxicity and, 568
Providencia
type 3 fimbriae, 601
PrP
See Prion protein
Pseudobactin 358, 752–53
Pseudobactin BN7, 752
Pseudobactin BN8, 752
Pseudomonas
bioluminescent, 298
eugenol metabolism, 780
ferric regulator, 753
iron reductase, 331
iron-uptake systems, 752–54
novel organic molecules, 562
Pseudomonas 2CBS
2-chlorobenzoate dehalogenation, 182
Pseudomonas acidovorans
ferulic acid biocatalysis, 783
vanillic acid oxidation, 781
Pseudomonas aeruginosa
amidase, 538
endotoxin A
trypanosome lytic factor and, 158
Fur-like genes, 763
genomic distance orderings, 636
iron-repressible outer membrane proteins, 747
iron-uptake systems, 753–54
sigma factor homologues, 59
Pseudomonas aeruginosa UI29791
rhamnose production and, 793–94
Pseudomonas AJ1
dehalogenating enzymes, 165
Pseudomonas ATCC
vanillic acid demethylation, 777–78
Pseudomonas B13
3-chlorobenzoate degradation and, 542
chloromuconic acid cycloisomerase, 183
dienelactone hydrolase, 171
Pseudomonas CBS3
4-chlorobenzoate degradation, 179–80
4-chlorophenylacetate dehalogenation, 182
dehalogenating enzymes, 165–66, 174–75
Pseudomonas cepacia
virulence, 754
Pseudomonas cepacia G4, 547
Pseudomonas cepacia MBA4
dehalogenating enzymes, 165
Pseudomonas diminuta
cloned parathion hydrolase, 534
Pseudomonas ENV307
3,4-dioxygenase, 540
Pseudomonas ENV391
3,4-dioxygenase, 540
Pseudomonas ferrireductans, 328
Pseudomonas fluorescens
4-hydroxy-3-methoxystyrene, 782–83
lacZ gene and, 294
metabolic intermediates, 781
novel organic molecules, 562
salicylic acid release, 754
Pseudomonas fluorescens NCIMB 11671
α-pinene degradation and, 791
Pseudomonas LB400
3,4-dioxygenase, 540
Pseudomonas maltophilia S202–1
growth on α-pinene, 791
Pseudomonas mendocina KR1
toluene 4-monooxygenase genes, 533
Pseudomonas P51
dehalogenating enzymes, 166
Pseudomonas paucimobilis TMY1009
stilbene dioxygenase gene and, 780
Pseudomonas paucimobilis UT26
dehalogenating enzymes, 165, 172–73
hexachlorocyclohexane metabolism, 184
Pseudomonas PP3
dehalogenating enzymes, 176
Pseudomonas pseudoalcaligenes KF707, 540–41
Pseudomonas putida, 532
benzoylformate accumulation, 784
catB gene, 183
dehalogenating enzymes, 165
ferulic acid biocatalysis, 783
ferulic acid metabolism, 782
Pseudomonas putida AC867
dehalogenating enzymes, 166
Pseudomonas putida AJ1
dehalogenating enzymes, 165, 175
Pseudomonas putida FK-2
growth on dehydrodiconiferyl alcohol, 779
Pseudomonas putida PIN11
α-pinene oxidation, 791
Pseudomonas putida WCS358
iron-uptake systems, 752–53
Pseudomonas PX1
α-pinene oxidation, 791
Pseudomonas roquefortii, 788
Pseudomonas sp200, 328
Pseudomonas testosteroni B356
chlorobenzoate/chlorocatechol transformation, 543

Pseudomonas TMY1009
ferulic acid metabolism, 782
growth on dehydrodivanillic acid, 779
Pseudomycelium, 476
Pseudonocardia autotrophica, 274
Pseudonocardiaceae, 262, 273, 274–76
Pseudonocardia halophobica, 274
Pseudonocardia thermophila, 274
Purine biosynthesis, 11–15
Puromycin, 249
biosynthesis, 229
Purple acid phosphatases
diiron clusters, 375
Putidaredoxin, 245
Pyochelin, 753–54
Pyochelin receptor, 762
Pyoverdin, 753
Pyrolusite, 323–24
Pyruvate
iron reduction and, 331
oxidative decarboxylation
hydrogenosomal enzymes and, 108
Shewanella putrefaciens and, 329

Q\BQ

Q-TROL, 411
Quercetin, 793
Quinones
iron/manganese and, 325–26
Quinovose, 225

R

R1 plasmid
conjugation
antisense RNA and, 722
CopA-CopT binding, 731–33
Radical clock chemistry
methane monooxygenase and, 381
Rathayibacter, 268
Recombination
homologous
variant surface glycoprotein genes and, 33–36
lambdoid phage, 212–15
Redox potentials, 315–17
Reductase
methane monooxygenase
catalytic cycle and, 387–95
Reductive dehalogenation, 183
Reductive processes
environmental, 317
Relative abundance distance measures, 628–30
Relative abundances
dinucleotide
general biases, 622–24
oligonucleotide, 621–22
viral dinucleotide, 626–27
Relative light unit (RLU), 302
Renibacterium, 267–68
menaquinones, 281
Repetitive extragenic palindromes (REPs), 620
REPs
See Repetitive extragenic palindromes
Resonance Raman spectroscopy
methane monooxygenase
hydroxylase diiron clusters and, 377
Respiration
anaerobic
iron and manganese and, 311–39
iron and, 744
Retinoblastoma
susceptibility gene, 644
Retroviruses
genomes
relative abundances of dinucleotides, 623
replication cycle, 688
Reverse transcriptase sequencing
actinomycetes and, 262–63
Reversible target capture (RTC) assay
food-borne bacteria and, 415–16
Rhamnose, 225
microbial catalysis, 793–94
Rheumatoid arthritis
Mycoplasma fermentans and, 692
Rhizobactin, 756
Rhizobium
iron-uptake systems, 755–56
Rhizobium leguminosarum
siderophore, 756
Rhizobium meliloti
bioluminescent, 298
CpG relative abundances, 625
genomic distance orderings, 636
Rhizobium meliloti 1021
dihydroxamate-type siderophore, 755
Rhizobium meliloti DM4
carboxylate-type siderophore, 755
Rhodinose, 227
Rhodnius prolixus, 515
Rhodobacter capsulatus
genomic distance orderings, 636
Rhodochrosite, 327, 330
Rhodococcus, 273, 279
mycolic acids, 281–82
Rhodococcus chlorophenolicus PCP-1
pentachlorophenol dehalogenation, 181–82
Rhodococcus equi, 273, 406
Rhodococcus fascians, 273
Rhodococcus globerulus P6
polychlorinated biphenyl degradation, 545
Rhodomycin, 227
Rhodotorula glutinis
ferulic acid biocatalysis, 783
Ribonucleoside reductase
deoxyribonucleotide formation and, 229
Ribonucleotide reductase
diiron clusters, 375
Ribonucleotide synthesis
iron and, 744
Ribosomal Database Project, 263
Ribosomal genes
transcription promoters, 38
Ribosomal RNA
apicomplexan parasites and, 88–90
Ribosome binding
antisense RNA and, 725–26
Ricinoleic acid
biotransformation to γ-decalactone, 788–89
Rickettsiae, 5, 7
Rifampicin, 274, 284
Plasmodium falciparum and, 96
RLU
See Relative light unit
RNA
biosynthesis
cordycepin 5′-triphosphate and, 225
hydrolysis, 5
ribosomal
apicomplexan parasites and, 88–90
See also Antisense RNA
RNA polymerase
in African trypanosomes, 40–42
alternative sigma subunits, 63
lambdoid phage transcription and, 198
streptolydigin and, 227
RNA polymerase II
transcription
tet elements and, 365
RNA pseudoknot
antisense RNA and, 720–21
RNA-RNA pairing
antisense RNA and, 728–34
Rothia, 262
menaquinones, 281

Rothia dentocariosa, 268
Rutin, 793

S

Saccharomonospora, 274
Saccharomyces cerevisiae, 117
  aculeacin A and, 485
  cell wall structure, 474–75
  gene expression
    pH and, 454
  genomes, 620
  4-hydroxy-3-methoxystyrene, 782–83
  iron transport, 746
  iron-uptake system, 760–61
  nitrogen regulation, 20–21
  nonredundant protein sequences, 639
  peroxisomal assembly mutants, 126
  peroxisomal catalase A, 119
  phosphoenolpyruvate carboxykinase, 121
  sequence distance orderings, 630
  tet elements and, 365
Saccharopolyspora
  antibiotics, 280
Saccharopolyspora erythraea
  erythromycin A and, 236
Saccharopolyspora hirsuta, 274
Saccharothrix, 274
Salicylate hydroxlase, 542
Salicyl hydroxamic acid (SHAM), 126
Salicylic acid
  pyochelin synthesis and, 754
Salinococcus, 574
Salmonella
  food-borne, 402, 404
    biochemical assays, 406
    DNA probe-based assays, 414
    enzyme-linked immunosorbent assays, 410–11
    immunofluorescent assays, 409
    latex agglutination assays, 413–14
    physicochemical assays, 407
    polymerase chain reaction assays, 417
  type 3 fimbriae, 601
Salmonella boydii
  argU/DLP12 junction, 208
Salmonella enterica LT2
  TDP-1-rhamnose biosynthetic gene products, 248
Salmonella paratyphi
  O antigen genetics, 240
Salmonella paratyphi type A
  cytidylyltransferase, 243
Salmonella phage P22, 197
Salmonella serogroup B
  cell-surface oligosaccharide, 228
Salmonella-Tek, 410
Salmonella typhi
  O antigen genetics, 240
Salmonella typhimurium
  acid tolerance response, 764
  3,6-dideoxyhexose gene clusters, 241
  genomic distance orderings, 636
  glnA expression, 18–20
  histidine-degrading enzymes, 14–15
  histidine-degrading system, 15–17
  lambdoid phages, 194
  O antigen genetics, 240
  repetitive extragenic palindromes, 620
  sialidase, 504
  siderophore detection and, 745
  sigma factor homologues, 59
  starvation-inducible genes
    guanosine tetraphosphate and, 61
  virulence
    pH and, 454
  virulence genes
    modulation, 72
Sarcosporidia, 657
Sargassum natans, 570
Saxitoxin (STX)
  isolation, 568
Schizosaccharomyces pombe
  gene expression
    tet element regulation, 365
  sequence distance orderings, 630
Scrapie, 655, 657, 672–74
  experimental, 661
SDS-polyacrylamide gel electrophoresis
  trypanosome lytic factor and, 149
Sea urchins
  dinitrogen fixing bacteria and, 566
Sediment water exchange processes, 322
Segmental conversion
  variant surface glycoprotein genes and, 36
Septic arthritis, 606
Serratia
  type 3 fimbriae, 601
Serratia marcescens
  isoeugenol oxidation, 780
  α-pinene oxidation, 791
Sexually transmitted disease (STD)
  human immunodeficiency virus transmission and, 690
SHAM
  See Salicyl hydroxamic acid
Shellfish poisoning, 568
Shewanella putrefaciens, 312, 328–29
  iron reductase activity, 331–34
  iron-reduction mutants, 336–37
  manganese reductase activity, 335–36
Shigella
  food-borne, 404
  toxins
    trypanosome lytic factor and, 158
Shigella flexneri
  intracellular growth, 747
  sigma factor homologues, 59
  virulence genes
    modulation, 72
Shipworms
  dinitrogen fixing bacteria and, 566
Sialic acid, 500–2
  acceptors on parasite surface, 509–11
  complement and, 513–15
  role in cell invasion, 511–13
  as time-passage marker on proteins, 224
Sialidases, 501–2
Siderite, 327, 330
Siderophores, 745
  iron-uptake systems in bacteria and, 749–57
  production in vivo, 747
Sigma transcription factor, 53–75
  anaerobically induced genes and, 73
  biochemical characterization, 57
  cell morphology and, 71–72
  DNA damage repair and, 70–71
  gene regulation and, 63–70
  genetic characterization, 55–56
  glycogen synthesis and, 73
  homologues, 58–59
  membrane/cell envelope functions and, 73–74
  microcin C7 and, 74
  osmoprotection/thermotolerance and, 72–73
  physical characterization, 56–57
  posttranscriptional control, 62
  promoter region structure, 61–62
  transcriptional control, 59–61
  TrpR repressor-binding protein WrbA and, 74

virulence genes and, 72
Site-directed mutagenesis
protein engineering and, 535
Skin cancer
human papillomaviruses and, 440
Sleeping sickness disease, 26, 106, 140–41, 144, 155, 500
SOD
See Superoxide dismutase
Sodium
marine bacteria and, 573
Sophorolipid, 793
SORFIND, 646
Speciation
lambdoid phage, 217–18
Spectroscopy
methane monooxygenase hydroxylase diiron clusters and, 375–78
Sphaerobacter
peptidoglycan, 282
Sphaerobacter thermophilus, 265
Spirochetes
molluscs and, 566
peptidoglycan, 282
Sporidiobolus salmonicolor
γ-decalactone biosynthesis and, 788
Sporiofungin, 478
Sporobolomyces odorus
γ-decalactone biosynthesis and, 788
Sporosarcina halophila, 574
Sporychthya
peptidoglycan, 282
Sporychthya polymorpha, 279
Staphylococcal enterotoxins
immunoassays, 412
Staphylococcus aureus, 406
cloned MSCRAMMs, 587
collagen-binding MSCRAMM, 597–600
fibrinogen-binding MSCRAMM, 602–3
fibrinogen-binding proteins, 588
fibronectin-binding MSCRAMM, 591–94
food-borne, 402
genomic distance orderings, 633
iron reduction, 333
leukocidin, 159
STD
See Sexually transmitted disease
Stilbenes
biotransformation, 778
phenolic, 778–80
Stomatococcus, 267
Stomatococcus mucilaginosus, 268
Stopped flow studies
methane monooxygenase hydroxylase and, 384–85
Streptidine, 240, 249
Streptococcus dysgalactiae
fibronectin-binding MSCRAMMs, 588, 592–94
Streptococcus mutans
iron transport, 745–46
type I collagen and, 600
Streptococcus pneumoniae
capsular polysaccharide, 230
Streptococcus pyogenes
fibrinogen and, 603
fibronectin-binding MSCRAMMs, 592
type IV collagen and, 600
Streptococcus sanguis
transposon mutant virulence, 607
Streptococcus viridans
laminin-binding MSCRAMM, 607
Streptolydigin, 227
Streptomyces, 276–77
bioluminescence and, 298
branched-chain deoxysaccharides, 228
evolution of antibiotics, 280
peptidoglycan, 282
xylose isomerase, 776
Streptomyces erythraeus
erythromycin A and, 236
Streptomyces fradiae
tylosin biosynthesis, 237–38
Streptomyces glaucescens
streptomycin biosynthesis, 239–40
Streptomyces griseolosporeus, 277
Streptomyces griseus
genomic distance orderings, 633
novel organic molecules, 562
streptomycin biosynthesis, 239–40
Streptomyces griseus JA3933
daunorubicin biosynthetic gene cluster, 236
Streptomyces lividans, 534
genomic distance orderings, 633
Streptomyces olivaceus, 277
Streptomyces peucetius
daunorubicin formation, 235–36
4,6-dehydratase, 234
Streptomyces phosalacineus, 277
Streptomyces setae, 277
Streptomyces setonii
ferulic acid metabolism, 782
Streptomyces sioyaensis
novel organic molecules, 562
Streptomyces tenjimariensis
novel organic molecules, 562
Streptomycetaceae, 276–78
Streptomycin, 249
biosynthesis, 239–40
Streptosporangiaceae, 276–78
Streptosporangium, 277
Streptoverticillium, 276
STX
See Saxitoxin
Substituent migration
methane monooxygenase and, 380–81
Substrate intermediate epimerization
methane monooxygenase and, 381
β-Succinyl-coenzyme A synthase, 108
Sugars
amino, 228–29
biosynthesis, 249–50
branched-chain, 228–29
Sulfate reduction
molybdate and, 320
Sulfide
iron/manganese and, 324–25
manganese reduction and, 320
Sulfur
biogeochemical metal cycles and, 312
Sulfur-reducing organisms, 311–12
Superantigens
human immunodeficiency virus infection and, 691–92
Superoxide dismutase (SOD)
mycoplasmas and, 693
Suramin
trypanosomiasis and, 127
Surgical procedures
Creutzfeldt-Jakob disease and, 664–65

T

Talose, 225
Tangier disease, 146
TCE
See Trichloroethylene
Tc-resistance determinants
genetics, 347–55
mechanism of regulation, 348
tet operators/promoters, 349
Tedania ignis
diketopiperazines, 568
Tellurite
transposon selection markers and, 530

Temperature
Leishmania stage differentiation and, 463–64
Terrabacter, 279
Terrabacter tumescens
menaquinones, 281
Terracoccus, 279
Terrestrial environments
iron-uptake systems, 746
Tet determinants
genetics, 347–55
tet operators
regulatory functions, 350–52
Tetrachloromethane
respiratory dehalogenation, 328
Tetrachloro-p-hydroquinone reductive dehalogenase, 178
Tetracycline
dihydroorotate dehydrogenase and, 91
human immunodeficiency virus and, 689
Tet repressor and, 360–63
Tetracycline resistance, 345–65
Tetranucleotides
relative abundances, 622
tet regulatory system
eukaryotic cells and, 363–65
Tet repressor
conformational changes
tetracycline induction and, 362–63
genetics, biochemistry, structure, 355–63
interaction with tetracycline, 360–62
Tet repressor complex
crystal structure, 359–60
Tet repressor proteins
amino acid sequence alignment, 353
structural/functional similarities, 352–55
Tet repressor-*tet* operator binding
thermodynamics and kinetics, 358
Tet repressor-*tet* operator recognition
molecular mechanism, 355–58
Tetrodotoxin (TTX)
production, 568
Theileria, 82
mitochondrial DNA, 92–93
Theileria annulata
mitochondrial DNA, 92
Theileria parva, 84
mitochondrial DNA, 92
Thermoactinomyces, 261
Thermococcus
cyclic polysulfides, 575
novel organic molecules, 562
Thermomonospora, 278–79
Thermotoga
peptidoglycan, 282
Thermotolerance
Leishmania and, 457–58
sigma transcription factor and, 72–73
Thermus
peptidoglycan, 282
Thermus aquaticus
heat-stable DNA polymerase
polymerase chain reaction and, 416
Thermus thermophilus
CpG relative abundances, 624
genomic distance orderings, 634
Thiamine pyrophosphate (TPP), 233
Thylakoids, 756
TIM
See Triosephosphate isomerase
TLF
See Trypanosome lytic factor
TNF
See Tumor necrosis factor
Toluate 1,2-dioxygenase, 542
Toluene
degradation, 531
Torulopsis bombicola
sophorolipid, 793
Toxic waste, 525–51
biocatalysts and, 531–41
biological solutions and, 527–28
biological treatment processes and, 528–29
expression factors and, 530–31
transposon cloning vectors and, 529–30
Toxoplasma gondii, 82, 84
plastid DNA, 94
TPP
See Thiamine pyrophosphate
Trace metals
biogeochemical metal cycles and, 312
iron/manganese and, 326–27
Transferrin, 747
utilization by pathogens, 758–59
Trans-sialidase (TS), 499–516
catalytic site, 506–8
Chagas' disease and, 515
complement and, 513–15
gene structure, 504–6
gene superfamily proteins encoded, 505
protein structure, 502–4
role in cell invasion, 511–13
stage-specific expression, 502
substrate specificity, 509
Transsplicing, 45, 106
Trehalase
sigma transcription factor and, 72
Trehalose
osmoprotection and, 72
Trehalose-6-phosphate phosphatase, 72
Trehalose-6-phosphate synthase, 72
Treponema denticola
integrin-like adhesin, 597
Tricarboxylic acid cycle, 109
2,2,2-Trichloroacetaldehyde
methane monooxygenase and, 380
1,1,1-Trichloroethane
dehalogenation, 537
Trichloroethylene (TCE)
decontamination, 548
methane monooxygenase and, 380
Trichoderma koningii, 788
Trichomonas
hydrogenosomes, 107–8, 114
Trichomonas vaginalis
hydrogenosomes, 108, 114
2,3,6-Trideoxyhexoses, 227
Trideoxysugars, 226–28
Trinucleotides
relative abundances, 622
Triosephosphate isomerase (TIM), 111
TrpR repressor-binding protein WrbA
sigma transcription factor and, 74
Trypanoplasma
glycosomes, 107–8
Trypanosoma
heparin-binding activity, 604–5
Trypanosoma brucei
C-terminal microbody targeting signal, 112–22
flagellar pocket
receptor-mediated endocytosis and, 143
genomic distance orderings, 636
glycosomal assembly
mutational analysis, 126–27
glycosomal import
as chemotherapeutic target, 127–28
internal targeting signals, 124–25
peroxisomal targeting signal, 122–24
glycosomal proteins
biosynthesis and assembly, 110–12
genes encoding, 110
glycosomal targeting signal, 120

glycosomes
luciferase import, 114–19
membrane proteins, 125
metabolic functions, 109
morphology and biogenesis, 107–9
hsp70 genes, 460–61
hsp83 gene, 461–63
hypoxanthine-guanine phosphoribosyltransferase, 121–22
life cycle, 26, 109
peroxisomal targeting signal, 106, 112–14
phosphoenolpyruvate carboxykinase, 121
procyclin promoter, 114
sequence distance orderings, 630
stage-specific antigen expression, 26–27
surface antigens
expression sites, 29–31
trans-sialidase, 502
substrate specificity, 509
variant specific glycoprotein, 141
Trypanosoma brucei brucei, 106, 139–40
apolipoprotein AI-cytotoxicity model and, 153–54
apolipoproteins and, 150–51
blood inoculation infectivity test and, 144–45
bloodstream stage, 142
endocytic internal degradation model and, 154–55
high-density lipoprotein and, 140
high-density lipoprotein-mediated lysis, 148–51
potential mechanisms, 152–55
human serum-mediated lysis, 145–46
phospholipid exchange model and, 152–53
sensitivity to normal human serum, 143–46
Trypanosoma brucei gambiense, 106, 140
blood inoculation infectivity test and, 144–45
high-density lipoprotein and, 140
sensitivity to normal human serum, 144, 155
Trypanosoma brucei rhodesiense, 106, 140
blood inoculation infectivity test and, 144–45
high-density lipoprotein and, 140
serum-resistant, 33, 144, 155
Trypanosoma congolense, 106, 141
phosphoglycerate kinase genes, 125
sensitivity to normal human serum, 144
Trypanosoma cruzi, 106
cell invasion
sialic acid and, 511–13
heparin-binding activity, 605
hsp70 genes, 461
hsp83 gene, 461
hypoxanthine-guanine phosphoribosyltransferase, 121
sensitivity to normal human serum, 144
sialic acid acceptors, 509–11
sialidase, 501
trans-sialidase, 500, 503–4
catalytic site, 506–8
substrate specificity, 509
Trypanosoma equinum
sensitivity to normal human serum, 144
Trypanosoma equiperdum
sensitivity to normal human serum, 144, 151
Trypanosoma evansi
sensitivity to normal human serum, 144
Trypanosoma rangeli
sialidase, 502
substrate specificity, 509
trans-sialidase, 506–8
Trypanosoma trans-sialidase, 499–516
catalytic site, 506–8
cell invasion and, 511–13
Chagas' disease and, 515
complement and, 513–15
gene structure, 504–6
gene superfamily proteins encoded, 505
insect vector and, 515–16
protein structure, 502–4
stage-specific expression, 502
structure, 502–8
substrate specificity, 509
Trypanosoma vivax, 106, 141
Trypanosome lytic factor (TLF), 146
mechanisms of resistance, 155–58
purification and characterization, 148–50
Trypanosomiasis, 141, 159, 502
chemotherapy, 127–28
Trypanothione, 122
Trypanothione reductase, 122
Trypomastigotes
sialic acid, 501
Tryptophanase, 16
TS
See *Trans*-sialidase
Tsetse, 26, 109, 141, 155
Tsukamurella, 273
menaquinones, 281
mycolic acids, 281
TTX
See Tetrodotoxin
Tumor necrosis factor (TNF)
mycoplasmas and, 691
Tylosin, 249
biosynthesis, 237–38
Typhus, 7
Tyvelose, 228
biosynthesis, 230–31

U

Ubiquinone, 281
4-Uloside, 232
Umami flavor attribute, 777
Unconventional virus, 657
2-Undecanone, 785
Uranium
Shewanella putrefaciens and, 329
Ureaplasma, 699
Ureaplasma urealyticum, 699–701, 704
human immunodeficiency virus transmission and, 690
surface antigen variability, 705
Urocanate, 15
Ustilago maydis
iron-uptake system, 759–60
Uteroferrin
diiron clusters, 375

V

Vaccinia virus
genomes, 620
Vallarose, 225
Vancomycin, 274
fungi and, 473
Vanillic acid
demethylation, 777–78
ferulic acid metabolism and, 779, 781
Vanillin
ferulic acid metabolism and, 781
microbial biocatalysis, 777–83
Variant surface glycoprotein (VSG), 26–27, 141
metacyclic, 30
variation system, 27–29
Variant surface glycoprotein (VSG) genes, 141
expression
double level of control, 27
programming, 33–36

expression sites
bloodstream, 29–31
variation, 32–33
families, 37–38
homologous recombination and, 33–36
in situ activation, 31–33
point mutation and, 36
polycistronic transcription, 38
procyclin genes and, 47
promoters, 111
segmental conversion and, 36
transcription promoters, 38
Varicella-zoster virus (VZV)
amino acid sequences, 629
Vibrio
novel organic molecules, 562
Vibrio anguillarum
Fur-like genes, 763
novel organic molecules, 562
virulence, 754–55
Vibriobactin, 747, 754
Vibrio cholerae
catechol siderophore, 754
Fur-like genes, 763
heme utilization, 757–58
hemolysin/cytolysin, 747
O antigen genetics, 240
Vibrio fischeri
cephalopod light organs and, 566
lux genes, 296–97
yellow fluorescent protein, 306
Vibrio harveyi
lux genes, 296–97
Vibriosis, 754–55
Vibrio vulnificus
food-borne
DNA probe-based assays, 414
polymerase chain reaction assays, 417
Fur-like genes, 763
Viral dinucleotides
extreme relative abundances, 626–27
Virulence
lambdoid phages and, 196–97
Virulence factors, 605–7
Virulence genes
sigma transcription factor and, 72
Viruses
unconventional, 657
VSG
See Variant surface glycoprotein
VZV
See Varicella-zoster virus

W

Water exchange processes
sediment, 322
Whipple's disease, 279
WrbA
sigma transcription factor and, 74

X

Xanthobacter autotrophicus GJ10
dehalogenating enzymes, 165
haloacid dehalogenase, 177
haloalkane dehalogenase, 168, 171, 176
Xanthomonas campestris
bioluminescent, 299–301
Xenorhabdus, 296
X-ray absorption spectroscopy fine structure (EXAFS)
methane monooxygenase hydroxylase diiron clusters and, 376
X-ray crystallography
haloalkane dehalogenase and, 170
Salmonella serogroup B and, 228
variant surface glycoprotein N-terminal domains and, 37–38
X-ray diffraction
lambdoid phages and, 197
Xylene degradation, 531
Xylene monooxygenase, 539
Xylose isomerase
glucose isomerization and, 775–76

Y

Yarrowia lipolytica
peroxisomal assembly mutants, 126
Yeast
echinocandins and, 472
iron transport, 746
iron-uptake system, 760–61
morphological forms, 476
nitrogen regulation, 17–21
nonredundant protein sequences, 639
Yeast chromosome III
contiguous sequence sets, 620
Yersinia
type 3 fimbriae, 601
Yersinia enterocolitica
collagen-binding MSCRAMM, 600
ferrichrome receptor, 762
food-borne
polymerase chain reaction assays, 417
hemin-uptake operon, 757
refrigeration and, 420
surface proteins, 595–96
Yersinia pestis
Fur-like genes, 763
heme utilization, 757
intracellular growth, 747
Yersinia pseudotuberculosis
cytidylyltransferase, 243
4,6-dehydratase, 244
3,6-dideoxyhexose gene clusters, 241
3,6-dideoxyhexoses, 228
integrin-binding proteins, 587
O antigen genetics, 240
surface proteins, 595–96

Z

Zalerion arboricola
pneumocandins and, 480